



SEBORRHOEIC DERMATITIS

RMA ID Number	Reference List for RMA085-4 as at March 2021
---------------	--

34709	Abdulla FR, Brodell RT (2005). Seborrheic dermatitis. The link between facial rash and neurologic disease. <i>Postgrad Med</i> , 117(3): 43-4.
15281	Abel EA (1989). Cutaneous manifestations of immunosuppression in organ transplant recipients. <i>J Am Acad Dermatol</i> , 21(2 Pt 1): 167-79.
TBA	Accortt N, Zaha R, Blogal DO, et al (2017). Characteristics and management of seborrheic dermatitis in Hispanic HIV patients. <i>JAAD</i> , 76(6 Suppl 1): AB66.
TBA	Adalsteinsson JA, Kaushik S, Muzumdar S, et al (2020). An update on the microbiology, immunology and genetics of seborrheic dermatitis. <i>Exp Dermatol</i> , 29(5): 481-9.
TBA	Aktas Karabay E, Aksu Cerman A (2020). Demodex folliculorum infestations in common facial dermatoses: acne vulgaris, rosacea, seborrheic dermatitis. <i>An Bras Dermatol</i> , 95(2): 187-93.
14956	Alessi E, Cusini M, Zerbini R (1988). Mucocutaneous manifestations in patients infected with human immunodeficiency virus. <i>J Am Acad Dermatol</i> , 19(2 Pt 1): 290-7.
29215	Allen AM, Taplin D, Lowy JA, et al (1972). Skin infections in Vietnam. <i>Mil Med</i> , 137(8): 295-301.
TBA	Alpalhao M, Gaibino N, Filipe P (2020). Seborrheic dermatitis in COVID-19: a case report. <i>Int J Dermatol</i> , 59(12): 1543-4.
65230	American Academy of Dermatology (2008). Seborrheic dermatitis: Who gets and causes. Retrieved 25 September 2012, from http://www.aad.org/skin-conditions/dermatology-a-to-z/seborrheic-dermatitis/who-gets-causes
TBA	An Q, Sun M, Qi RQ, et al (2017). High <i>Staphylococcus epidermidis</i> colonization and impaired permeability barrier in facial seborrheic dermatitis. <i>Chin Med J (Engl)</i> , 130(14): 1662-9.
5499	Anderson, DM, Keith J, Novak PD (Lexicographers) (1994). Dorland's Illustrated Medical Dictionary, 18th Edition, 448. WB Saunders, Philadelphia.
15431	Ansfield FJ, Schroeder JM, Curreri AR (1962). Five years clinical experience with 5-fluorouracil. <i>JAMA</i> , 181: 295-9.
66479	Arck P, Paus R (2006). From the brain-skin connection: the neuroendocrine-immune misalliance of stress and itch. <i>Neuroimmunomodulation</i> , 13(5-6): 347-56. [Abstract]
34614	Armstrong DK, Smith HR, Rycroft RJ (1999). Contact allergy to methyl dibromo glutaronitrile presenting as severe scalp seborrheic eczema. <i>Contact Dermatitis</i> , 40(6): 335.
TBA	Arsic Arsenijevic VS, Milobratovic D, Barac AM, et al (2014). A laboratory-based study on patients with Parkinson's disease and seborrheic dermatitis: the presence and density of <i>Malassezia</i> yeasts, their different species and enzymes production. <i>BMC Dermatol</i> , 14:5.

TBA	Augustin M, Kirsten N, Korber A, et al (2019). Prevalence, predictors and comorbidity of dry skin in the general population. <i>J Eur Acad Dermatol Venereol</i> , 33(1): 147-50.
34898	Australian College of Dermatologists (2001). Seborrhoeic Dermatitis. Retrieved 11 May 2005, from http://www.dermcoll.asn.au/main.asp
TBA	Barac A, Pekmezovic M, Milobratovic D, et al (2015). Presence, species distribution, and density of <i>Malassezia</i> yeast in patients with seborrhoeic dermatitis - a community-based case-control study and review of literature. <i>Mycoses</i> , 58(2): 69-75.
15171	Barba A, Piubello W, Vantini I, et al (1982). Skin lesions in chronic alcoholic pancreatitis. <i>Dermatologica</i> , 164(5): 322-6.
65216	Barzilai A, David M, Trau H, et al (2008). Seborrheic dermatitis-like eruption in patients taking isotretinoin therapy for acne: retrospective study of five patients. <i>Am J Clin Dermatol</i> , 9(4): 255-61.
TBA	Bas Y, Seckin HY, Kalkan G, et al (2016). Prevalence and related factors of psoriasis and seborrheic dermatitis: a community-based study. <i>Turk J Med Sci</i> , 46(2): 303-9.
34816	Bayramgurler D, Bilen N, Namli S, et al (2002). The effects of 17 August Marmara earthquake on patient admittances to our dermatology department. <i>J Eur Acad Dermatol Venereol</i> , 16(3): 249-52.
65210	Bazex J, Garigue J (1994). [Experimental evaluation of anti-seborrheic substances]. <i>Bull Acad Natl Med</i> , 178(7): 1245-56 [Article in French]. [Abstract]
15357	Bedikian AY, Stroehlein JR, Karlin DA, et al (1981). Chemotherapy for colorectal cancer with a combination of PALA and 5-FU. <i>Cancer Treat Rep</i> , 65(9-10): 747-53.
65208	Benomar S, Boutayeb S, Afifi Y, et al (2009). Hand-foot syndrome and seborrheic dermatitis-like eruption induced by erlotinib. <i>Dermatol Online J</i> , 15(11): 2.
34876	Bergbrant IM (1991). Seborrhoeic dermatitis and <i>Pityrosporum ovale</i> : Cultural, immunological and clinical studies. <i>Acta Derm Venereol Suppl (Stockh)</i> , 167: 1-36.
5489	Bergbrant I-M, Faergemann J (1990). The role of <i>pityrosporum ovale</i> in seborrheic dermatitis. <i>Semin Dermatol</i> , 9(4): 262-8.
5488	Bergbrant IM, Faergemann J (1989). Seborrhoeic dermatitis and <i>pityrosporum ovale</i> : A cultural and immunological study. <i>Acta Derm Venereol</i> , 69(4): 332-5.
15597	Bergbrant IM, Johansson S, Robbins D, et al (1991). An immunological study in patients with seborrhoeic dermatitis. <i>Clin Exp Dermatol</i> , 16(5): 331-8.
5490	Berger RS, Stoner MF, Hobbs ER, et al (1988). Cutaneous manifestations of early human immunodeficiency virus exposure. <i>J Am Acad Dermatol</i> , 19(2 Pt 1): 298-303.
65220	Berk T, Scheinfeld N (2010). Seborrheic dermatitis. <i>P T</i> , 35(6): 348-52.
15282	Bernstein T (1977). Skin reactions to 5-fluorouracil. <i>N Engl J Med</i> , 297(6): 337-8.
14954	Bett DG, Morland J, Yudkin J (1967). Sugar consumption in acne vulgaris and seborrhoeic dermatitis. <i>Br Med J</i> , 3(5558): 153-5.
15299	Bettley FR, Marten RH (1956). Unilateral seborrheic dermatitis following a nerve lesion. <i>AMA Arch Derm</i> , 73(2): 110-5.
15173	Binder RL, Jonelis FJ (1984). Seborrheic dermatitis: a newly reported side effect of neuroleptics. <i>J Clin Psychiatry</i> , 45(3): 125-6.
5491	Binder RL, Jonelis FJ (1983). Seborrheic dermatitis in neuroleptic-induced Parkinsonism. <i>Arch Dermatol</i> , 119(6): 473-5.
64593	Bittencourt AL, de Oliveira Mde F (2010). Cutaneous manifestations associated with HTLV-1 infection. <i>Int J Dermatol</i> , 49(10): 1099-110.

15262	Blohmé I, Larko O (1990). Skin lesions in renal transplant patients after 10-23 years of immunosuppressive therapy. <i>Acta Derm Venereol</i> , 70(6): 491-4.
34797	Bologna JL, Braverman IM (2001). Skin manifestations of internal disease. <i>Harrison's Principles of Internal Medicine</i> , 57: 315-7.
5493	Brenner S, Horwitz C (1988). Possible nutrient mediators in psoriasis and seborrheic dermatitis. II. Nutrient mediators: essential fatty acids; vitamins A, E and D; vitamins B1, B2, B6, niacin and biotin; vitamin C selenium; zinc; iron. <i>World Rev Nutr Diet</i> , 55: 165-82.
5492	Brenner S, Horwitz C (1988). Possible nutrient mediators in psoriasis and seborrheic dermatitis. I. Prevalence, etiology, symptomatology, histological and biochemical features. <i>World Rev Nutr Diet</i> , 55: 153-64.
64598	Breunig Jde A, de Almeida HL Jr, Duquia RP, et al (2012). Scalp seborrheic dermatitis: prevalence and associated factors in male adolescents. <i>Int J Dermatol</i> , 51(1): 46-9.
65239	Brodell EE, Smith E, Brodell RT (2011). Exacerbation of seborrheic dermatitis by topical fluorouracil. <i>Arch Dermatol</i> , 147(2): 245-6.
66478	Bukvic Mokos Z, Kralj M, Basta-Juzbasic A, et al (2012). Seborrheic dermatitis: an update. <i>Acta Dermatovenerol Croat</i> , 20(2): 98-104. [Abstract]
34873	Burns T, Breathnach S, Cox N, et al (2004). Seborrhoeic dermatitis. <i>Rook's Textbook of Dermatology</i> , 7th Edition, 17: 10-17. John Wiley & Sons.
5494	Burton JL (1992). Eczema, lichenification, prurigo and erythroderma. Seborrhoeic dermatitis. <i>Textbook of Dermatology</i> , 5th Edition, Vol 1 Chapter 14: 537, 545-52. CV Mosby Co. St. Louis.
15128	Burton JL, Cartlidge M, Shuster S (1973). Effect of L-dopa on the seborrhoea of Parkinsonism. <i>Br J Dermatol</i> , 88(5): 475-9.
15127	Burton JL, Cartlidge M, Cartlidge NE, et al (1973). Sebum excretion in Parkinsonism. <i>Br J Dermatol</i> , 88(3): 263-6.
5495	Burton JL, Rook A, Wilkinson DS (1986). Eczema, lichen simplex, erythroderma and prurigo. <i>Textbook of Dermatology</i> , 4th Edition, Vol 1 Chapter 12: 367, 375-82. CV Mosby Co. St. Louis.
15175	Burton JL, Shuster S (1970). Effect of L-dopa on seborrhoea of Parkinsonism. <i>Lancet</i> , 2(7667): 311.
15124	Burton JL, Shuster S (1970). Effect of L-dopa on seborrhoea of Parkinsonism. <i>Lancet</i> , 2(7662): 19-20.
15085	Butterworth T (1971). Dermatologic disorders in institutionalized mental defectives. <i>Birth Defects Orig Artic Ser</i> , 7(8): 178-85.
27786	Bykowsky MJ (2002). Generalized seborrheic dermatitis in an immunodeficient newborn. <i>Cutis</i> , 70(6): 324; author reply 324.
TBA	Calderon HP, Rojas EC, Apt BW, et al (2017). [Cutaneous myiasis due to <i>Cochliomyia hominivorax</i> associated with seborrheic dermatitis] [Article in Spanish]. <i>Rev Med Chil</i> , 145(2): 250-4.
65211	Caron P, Chateauneuf C, Bazex J, et al (1987). [Anti-seborrhea effect of cimetidine]. <i>Biomed Pharmacother</i> , 41(5): 253-4 [Article in French]. [Abstract]
15297	Casper WA, Manfredi OL (1968). Seborrheic symptom complex. Expression of disturbed intestinal malutilization of Vitamin B-12 measured by radioactivity. <i>N Y State J Med</i> , 68(23): 3040-5.
61488	Cedeno-Laurent F, Gomez-Flores M, Mendez N, et al (2011). New insights into HIV-1-primary skin disorders. <i>J Int AIDS Soc</i> , 14: 5.
1714	Centers for Disease Control and Prevention (1989). <i>Health Status of Vietnam Veterans</i> , 1-V. Atlanta: U.S. Department of Health and Human Services.
15265	Child FJ, Higgins EM (1995). Cutaneous manifestations of non-HIV immunosuppression. <i>Br J Hosp Med</i> , 54(8): 395-9.

5496	Clark RAF, Hopkins TT (1992). The other eczemas. SL Moschella, HJ Hurley (Eds). <i>Dermatology</i> , 3rd Edition, Chapter 21: 465-501.
15132	Clift DC, Dodd HJ, Kirby JD, et al (1988). Seborrheic dermatitis and malignancy. An investigation of the skin flora. <i>Acta Derm Venerol</i> , 68(1): 48-52.
5497	Coldiron BM, Bergstresser PR (1989). Prevalence and clinical spectrum of skin disease in patients infected with human immunodeficiency. <i>Arch Dermatol</i> , 125(3): 357-61.
TBA	Comert A, Akbas B, Kilic EZ, et al (2013). Psychiatric comorbidities and alexithymia in patients with seborrheic dermatitis: a questionnaire study in Turkey. <i>Am J Clin Dermatol</i> , 14(4): 335-42.
57092	Committee on Gulf War and Health (2010). Update of health effects of serving in the Gulf War. <i>Gulf War and Health</i> , Vol 8. National Academy Press -Washington, DC.
13052	Commonwealth Department of Veteran's Affairs (1998). Male Vietnam veterans - survey and community comparison outcomes. <i>Morbidity of Vietnam Veterans: A study of the health of Australia's Vietnam veteran community</i> , Vol 1.
64859	Coopman SA, Johnson RA, Platt R, et al (1993). Cutaneous disease and drug reactions in HIV infection. <i>N Engl J Med</i> , 328(23): 1670-4.
5498	Cowley NC, Farr PM, Shuster S (1990). The permissive effect of sebum in seborrhoeic dermatitis: an explanation of the rash in neurological disorders. <i>Br J Dermatol</i> , 122(1): 71-6.
34979	Currie BJ, Carapetis JR (2000). Skin infections and infestations in Aboriginal communities in northern Australia. <i>Australas J Dermatol</i> , 41(3): 139-43; quiz 144-5.
TBA	Dantas L, Netto E, Glesby MJ, et al (2014). Dermatological manifestations of individuals infected with human T cell lymphotropic virus type I (HTLV-I). <i>Int J Dermatol</i> , 53(9): 1098-102.
65233	Dawson TL Jr (2006). Malassezia and seborrheic dermatitis: etiology and treatment. <i>J Cosmet Sci</i> , 57(2): 181-2.
64590	De Luca C, Valacchi G (2010). Surface lipids as multifunctional mediators of skin responses to environmental stimuli. <i>Mediators Inflamm</i> , 2010: 321494.
65225	DeAngelis YM, Gemmer CM, Kaczvinsky JR, et al (2005). Three etiologic facets of dandruff and seborrheic dermatitis: Malassezia fungi, sebaceous lipids, and individual sensitivity. <i>J Investig Dermatol Symp Proc</i> , 10(3): 295-7.
65234	Difonzo EM, Faggi E (2008). Skin diseases associated with Malassezia species in humans. Clinical features and diagnostic criteria. <i>Parassitologia</i> , 50(1-2): 69-71.
TBA	Dimitrova J (2013). Study of the level of 25-hydroxyvitamin D in patients with seborrheic dermatitis. <i>Scr Sci Med</i> , 45(1): 75-8.
TBA	Ding L, Mo X, Zhang L, et al (2018). High prevalence and correlates of human herpesvirus-6A in nevocytic nevus and seborrheic diseases: Implication from a pilot study of skin patient tissues in Shanghai. <i>J Med Virol</i> , 90(9): 1532-40.
088811	Dinis-Oliveira RJ, Magalhaes T, Moreira R, et al (2014). Clinical and forensic signs related to ethanol abuse: a mechanistic approach. <i>Toxicol Mech Methods</i> , 24(2): 81-110.
65209	Dreno B, Moyse D (2002). Lithium gluconate in the treatment of seborrhoeic dermatitis: a multicenter, randomised, double-blind study versus placebo. <i>Eur J Dermatol</i> , 12(6): 549-52.
15172	Dudley K, Micetich K, Massa MC (1987). Erythema with features of seborrhoeic dermatitis and lupus erythematosus associated with systemic 5-fluorouracil. <i>Cutis</i> , 39(1): 64-6.

15261	Dunagin WG (1982). Clinical toxicity of chemotherapeutic agents: dermatologic toxicity. <i>Semin Oncol</i> , 9(1): 14-22.
34886	Dunic I, Vesic S, Jevtovic DJ (2004). Oral candidiasis and seborrheic dermatitis in HIV-infected patients on highly active antiretroviral therapy. <i>HIV Med</i> , 5(1): 50-4.
15377	Dutz JP, Ho VC (1998). Immunosuppressive agents in dermatology. An update. <i>Dermatol Clin</i> , 16(2): 235-51.
64858	Dwiyana RF, Rowawi R, Lestari M, et al (2009). Skin disorders in HIV-infected patients from West Java. <i>Acta Med Indones</i> , 41(Suppl 1): 18-22.
5500	Eisenstat BA, Wormser GP (1984). Seborrheic dermatitis and butterfly rash in AIDS. <i>N Engl J Med</i> , 311(3): 189.
15267	el-Shahawy MA, Gadallah MF, Massry SG (1996). Acne: a potential side effect of cyclosporine A therapy. <i>Nephron</i> , 72(4): 679-82.
12877	Ely H (1997). Human phenotypes. The atopic and seborrheic: Part 11. <i>Cutis</i> , 59(1): 13-8.
15169	Ely H (1997). Human phenotypes. The atopic and seborrheic: Part III. <i>Cutis</i> , 59(2): 67-70, 73.
64944	Emadi SN, Aslani J, Poursaleh Z, et al (2012). Comparison late cutaneous complications between exposure to sulfur mustard and nerve agents. <i>Cutan Ocul Toxicol</i> , 31(3): 214-9.
15286	Epstein E (1983). Hidden fluorouracil applications as a cause of dermatitis and erosions. <i>JAMA</i> , 249(12): 1565-6.
14952	Faergemann J (1986). Seborrhoeic dermatitis and <i>Pityrosporum orbiculare</i> : treatment of seborrhoeic dermatitis of the scalp with miconazole-hydrocortisone (Daktacort), miconazole and hydrocortisone. <i>Br J Dermatol</i> , 114(6): 695-700.
12817	Faergemann J (1993). <i>Pityrosporum ovale</i> and skin diseases. <i>Keio J Med</i> , 42(3): 91-4.
5501	Faergemann J (1994). <i>Pityrosporum infections</i> . <i>J Am Acad Dermatol</i> , 31(3 Pt 2): S18-20.
34592	Faergemann J, Bergbrant IM, Dohse M, et al (2001). Seborrheic dermatitis and <i>Pityrosporum (Malassezia) folliculitis</i> : characterization of inflammatory cells and mediators in the skin by immunohistochemistry. <i>Br J Dermatol</i> , 144(3): 549-56.
15375	Falkson G, Schulz EJ (1962). Skin changes in patients treated with 5-fluorouracil. <i>Br J Dermatol</i> , 74: 229-36.
TBA	Fernandes MS, Bhat RM (2015). Spectrum of mucocutaneous manifestations in human immunodeficiency virus-infected patients and its correlation with CD4 lymphocyte count. <i>Int J STD AIDS</i> , 26(6): 414-9.
15195	Ferrandiz C, Henkes J, Peyri J, et al (1981). Acquired zinc deficiency during total parenteral alimentation. Clinical and histopathological findings. <i>Dermatologica</i> , 163(3): 255-66.
5502	Fine JD, Moschella SL (1985). Diseases of nutrition and metabolism. <i>Dermatology</i> , 2nd Edition, Vol 2 Chapter 27: 1422, 1428-9, 1523-32. WB Saunders Co Philadelphia.
15271	Finley AG (1973). Topical use of 5-fluorouracil. <i>Med J Aust</i> , 1(16): 815.
27852	Fischer M, Gemende I, Marsch WC, et al (2001). Skin function and skin disorders in Parkinson's disease. <i>J Neural Transm (Vienna)</i> , 108(2): 205-13.
22943	Fischer M, Gemende I, Marsch WC, et al (2001). Skin function and skin disorders in Parkinson's disease. <i>J Neural Transm (Vienna)</i> , 108(2): 205-13.
34891	Fitzpatrick JE (1994). Superficial fungal skin diseases. <i>Military Medicine</i> , <i>Military Dermatology</i> , Chapter 17: 423-51. Office of the Surgeon General, United States Army.
15264	Flint A (1977). The skin in Parkinson's Disease. <i>Prim Care</i> , 4(3): 475-80.

TBA	Forrestel AK, Kovarik CL, Mosam A, et al (2016). Diffuse HIV-associated seborrheic dermatitis - a case series. <i>Int J STD AIDS</i> , 27(14): 1342-5.
15290	Franchimont C, Pierard GE (1980). Cutaneous pathobiology mediated by chemotherapy. <i>J Cutan Pathol</i> , 7(6): 387-93.
65207	Gaitanis G, Magiatis P, Hantschke M, et al (2012). The Malassezia genus in skin and systemic diseases. <i>Clin Microbiol Rev</i> , 25(1): 106-41.
15190	Garcia-Perez A, Moran M (1975). Dermatitis from quinolines. <i>Contact Dermatitis</i> , 1(4): 260.
27816	Garcia-Silva J, Almagro M, Pena C, et al (1999). [Comment] CD4+ T-lymphocytopenia, Kaposi's sarcoma, HHV-8 infection, severe seborrheic dermatitis, and onychomycosis in a homosexual man without HIV infection. <i>Int J Dermatol</i> , 38(3): 231-3.
TBA	Gargallo-Bernad C, Sangros-Gonzalez FJ, Arazo-Garces P, et al (2019). Missed opportunities in the diagnosis of human immunodeficiency virus infection in the Region of Aragon. Late diagnosis importance. <i>Enferm Infect Microbiol Clin</i> , 37(2): 100-8.
15376	Garnis-Jones S (1996). Dermatologic side effects of psychopharmacologic agents. <i>Dermatol Clin</i> , 14(3): 503-8.
15167	Geusau A, Tschachler E (1997). HIV-related skin diseases. <i>J R Coll Physicians Lond</i> , 31(4): 374-9.
5503	Glick AW, Mones R, Wilentz JM, et al (1971). The effect of L-Dopa on seborrheic dermatitis in idiopathic Parkinson's disease. <i>Cutis</i> , 8: 26-8.
34603	Goncalves DU, Guedes AC, Proietti AB, et al (2003). Dermatologic lesions in asymptomatic blood donors seropositive for human T cell lymphotropic virus type-1. <i>Am J Trop Med</i> , 68(5): 562-5.
TBA	Gontijo JR, Bittencourt FV (2018). Wound myiasis: the role of entodermoscopy. <i>An Bras Dermatol</i> , 93(5): 746-8.
5504	Goodman DS, Teplitz ED, Wishner A, et al (1987). Prevalence of cutaneous disease in patients with acquired immunodeficiency syndrome (AIDS) or AIDS-related complex. <i>J Am Acad Dermatol</i> , 17(2 Pt 1): 210-20.
15284	Gottlieb D, Commens C (1986). Recurrent "flare" of dermatitis herpetiformis after cytotoxic therapy for malignant lymphoma. <i>Med J Aust</i> , 145(5): 241.
15283	Greenwald ES (1975). Letter: Fluorouracil. <i>JAMA</i> , 232(11): 1126-7.
66950	Groisser D, Bottone EJ, Lebwohl M (1989). Association of <i>Pityrosporum orbiculare</i> (<i>Malassezia furfur</i>) with seborrheic dermatitis in patients with acquired immunodeficiency syndrome (AIDS). <i>J Am Acad Dermatol</i> , 20(5 Part 1): 770-3.
65218	Guillot B, Blazquez L, Bessis D, et al (2004). A prospective study of cutaneous adverse events induced by low-dose alpha-interferon treatment for malignant melanoma. <i>Dermatology</i> , 208(1): 49-54.
TBA	Gul AI, Karaaslan O, Colgecen E (2017). Personality traits and common psychiatric conditions in patients with seborrheic dermatitis. <i>Arch Clin Psychiatry (Sao Paulo)</i> , 44(1) 6-9.
34593	Gupta AK, Bluhm R (2004). Seborrheic dermatitis. <i>J Eur Acad Dermatol Venereol</i> , 18(1): 13-26; 19-20.
34685	Gupta AK, Batra R, Bluhm R, et al (2004). Skin diseases associated with <i>Malassezia</i> species. <i>J Am Acad Dermatol</i> , 51(5): 785-98.
34591	Gupta AK, Bluhm R, Cooper EA, et al (2003). Seborrheic dermatitis. <i>Dermatol Clin</i> , 21(3): 401-12.
34590	Gupta AK, Madzia SE, Batra R (2004). Etiology and management of seborrheic dermatitis. <i>Dermatology</i> , 208(2): 89-93.
63065	Gupta AK, Nicol KA (2004). Seborrheic dermatitis of the scalp: etiology and treatment. <i>J Drugs Dermatol</i> , 3(2): 155-8.
TBA	Han ZA, Choi JY, Ko YJ (2015). Dermatological problems following spinal cord injury in Korean patients. <i>J Spinal Cord Med</i> , 38(1): 63-7.

TBA	Handler MZ (2020) Seborrheic Dermatitis. E-Medscape, Retrieved 26Nov2020 from https://emedicine.medscape.com/article/1108312-overview
34894	Harrison's Online (2004). Human T-cell lymphotropic virus. Chapter 172. The human retroviruses. Retrieved 10 May 2005, from http://www.accessmedicine.com
12876	Hay RJ, Graham-Brown RA (1997). Dandruff and seborrhoeic dermatitis: causes and management. <i>Clin Exp Dermatol</i> , 22(1): 3-6.
64591	Hay RJ (2011). Malassezia, dandruff and seborrhoeic dermatitis: an overview. <i>Br J Dermatol</i> , 165(Suppl 2): 2-8.
65229	Henning JS, Firoz BF (2010). Combat dermatology: the prevalence of skin disease in a deployed dermatology clinic in Iraq. <i>J Drugs Dermatol</i> , 9(3): 210-4.
66472	Hernandez G, Arriba L, Jimenez C, et al (2003). Rapid progression from oral leukoplakia to carcinoma in an immunosuppressed liver transplant recipient. <i>Oral Oncol</i> , 39(1): 87-90.
3929	Higgins EM, du Vivier AW (1994). Cutaneous disease and alcohol misuse. <i>Br Med Bull</i> , 50(1): 85-98.
27787	Higgins EM, Ismail K, Kant K, et al (2002). Skin disease in Gulf war veterans. <i>QJM</i> , 95(10): 671-6.
63730	Hofbauer GF, Freiberger SN, Iotzova-Weiss G, et al (2012). Organ transplantation and skin - principles and concepts. <i>Curr Probl Dermatol</i> , 43: 1-8.
64862	Hoffmann CJ, Gallant JE (2010). HIV and AIDS. <i>ACP Medicine</i> , 7, XXXIII. Decker Intellectual Properties.
TBA	Honnavar P, Prasad GS, Ghosh A, et al (2016). Malassezia arunalokeyi sp. nov., a Novel Yeast Species Isolated from Seborrheic Dermatitis Patients and Healthy Individuals from India. <i>J Clin Microbiol</i> , 54(7): 1826-34.
65226	Hort W, Mayser P (2011). Malassezia virulence determinants. <i>Curr Opin Infect Dis</i> , 24(2): 100-5.
65237	Ikezawa Z, Kitamura K, Nakajima H (1990). Gold sodium thiomalate (GTM) induces hypersensitivity to thiomalate, the thiol carrier of GTM. <i>J Dermatol</i> , 17(9): 550-4.
27851	Ippolito F, Passi S, Di Carlo A (2000). Is seborrhoeic dermatitis a clinical marker of HIV disease? <i>Minerva Ginecol</i> , 52(12 suppl 1): 54-8.
TBA	Islamoglu ZG (2019). Second-to-fourth digit ratio and seborrhoeic dermatitis in males: a cross-sectional study. <i>An Bras Dermatol</i> , 94(3): 327-30.
5505	Janniger CK, Schwartz RA (1995). Seborrheic dermatitis. <i>Am Fam Physician</i> , 52(1): 149-55, 159-60.
12691	Jensen P, Clausen OP, Geiran O, et al (1995). Cutaneous complications in heart transplant recipients in Norway 1983-1993. <i>Acta Derm Venereol</i> , 75(5): 400-3.
27850	Jing W (2000). A retrospective survey of mucocutaneous manifestations of HIV infection in Malaysia: analysis of 182 cases. <i>J Dermatol</i> , 27(4): 225-32.
34972	Johnson BA, Nunley JR (2000). Treatment of seborrhoeic dermatitis. <i>Am Fam Physician</i> , 61(9): 2703-10, 2713-4.
15595	Kane RC, Cashdollar MR, Bernath AM (1978). Treatment of advanced colorectal cancer with methyl-CCNU plus 5-day 5-fluorouracil infusion. <i>Cancer Treat Rep</i> , 62(10): 1521-5.
14953	Kanwar AJ, Majid A, Garg MP, et al (1981). Seborrhoeic dermatitis-like eruption caused by cimetidine. <i>Arch Dermatol</i> , 117(2): 65-6.
64638	Kawakami Y, Nakamura-Watatsuki T, Yamamoto T (2010). [Comment] Seborrhoeic dermatitis-like eruption following interleukin-2 administration. <i>Dermatol Online J</i> , 16(9): 12.

5506	Kay RG (1981). Zinc and Copper in human nutrition. <i>J Hum Nutr</i> , 35(1): 25-36.
057177	Khambaty MM, Hsu SS (2010). Dermatology of the patient with HIV. <i>Emerg Med Clin North Am</i> , 28(2): 355-68.
14950	Kieffer M, Bergbrant IM, Faergemann J, et al (1990). Immune reactions to <i>Pityrosporum ovale</i> in adult patients with atopic and seborrheic dermatitis. <i>J Am Acad Dermatol</i> , 22(5 Pt 1): 739-42.
64860	Kim HA, Kim EM, Park YC, et al (2003). Immunotoxicological effects of Agent Orange exposure to the Vietnam War Korean veterans. <i>Indust Health</i> , 41(3): 158-66.
27905	Kim HJ, Lim YS, Choi HY, et al (2001). Generalized seborrheic dermatitis in an immunodeficient newborn. <i>Cutis</i> , 67(1): 52-4.
27819	Kimyai-Asadi A, Harris JC, Nousari HC (1999). Critical overview: adverse cutaneous reactions to psychotropic medications. <i>J Clin Psychiatry</i> , 60(10): 714-25; quiz 726.
TBA	Koc EA, Buyuklu F, Koc B, et al (2015). Skin problems following septorhinoplasty. <i>Laryngoscope</i> , 125(6): 1291-5.
66475	Kostovic K, Lipozencic J (2004). Skin diseases in alcoholics. <i>Acta Dermatovenerol Croat</i> , 12(3): 181-90.
27849	Kreuter A, Schugt I, Hartmann M, et al (2002). Dermatological diseases and signs of HIV infection. <i>Eur J Med Res</i> , 7(2): 57-62.
34612	Krivda SJ, Roy MJ, Chung RC, et al (1996). Cutaneous findings in Gulf War veterans. <i>Arch Dermatol</i> , 132(7): 846-7.
TBA	Lacroix JP, Wang B (2017). Prospective case series of cutaneous adverse effects associated With dabrafenib and trametinib. <i>J Cutan Med Surg</i> , 21(1): 54-9.
64596	Lally A, Casabonne D, Newton R, et al (2010). Seborrheic dermatitis among Oxford renal transplant recipients. <i>J Eur Acad Dermatol Venereol</i> , 24(5): 561-4.
TBA	Lancar R, Missy P, Dupuy A, et al (2020). Risk factors for seborrhoeic dermatitis flares: Case-control and case-crossover study. <i>Acta Derm Venereol</i> , 100(17): adv00292.
TBA	Lee JY, You SH (2016). A study on how lifestyle and shampoo habits affect middle-aged men with seborrheic scalp - especially office workers. <i>J Korea Acad Industr Coop Soc</i> , 17(12): 701-7. [Abstract].
15268	Leeming JP (1993). Use of topical lithium succinate in the treatment of seborrhoeic dermatitis. <i>Dermatology</i> , 187(2): 149-50.
5507	Liden C, Wahlberg JE (1985). Work with video display terminals among office employees. V. Dermatologic factors. <i>Scand J Work Environ Health</i> , 11(6): 489-93.
34889	Lim DS (2005). Dermatology in the military: an East Timor study. <i>Int J Dermatol</i> , 44(4): 304-11.
TBA	Lin Q, Panchamukhi A, Li P, et al (2020). Malassezia and <i>Staphylococcus</i> dominate scalp microbiome for seborrheic dermatitis. <i>Bioprocess Biosyst Eng</i> , Epub ahead of print. [Abstract].
TBA	Linder D, Dreher J, Zampetti A, et al (2014). Seborrheic dermatitis and hypertension in adults: a cross-sectional study. <i>J Eur Acad Dermatol Venereol</i> , 28(11): 1450-5.
15373	Litwin MS, Ryan RF, Ichinose H, et al (1972). Proceedings: Use of 5 fluorouracil in the topical therapy of skin cancer: a review of 157 patients. <i>Proc Natl Cancer Conf</i> , 7: 549-61.
34711	Loo DS (2004). Cutaneous fungal infections in the elderly. <i>Dermatol Clin</i> , 22(1): 33-50.
27821	Mahe A, Simon F, Coulibaly S, et al (1996). Predictive value of seborrheic dermatitis and other common dermatoses for HIV infection in Bamako, Mali. <i>J Am Acad Dermatol</i> , 34(6): 1084-6.

TBA	Mahlangeni GM, Tod BM, Jordaan HF, et al (2021). Clinicopathological features of seborrheic-like dermatitis in HIV-infected adults: A single institutional descriptive cross-sectional study. <i>Am J Dermatopathol</i> , 43(1): 27-34.
TBA	Mahmoudi E, Rezaie J (2020). Isolation of different fungi from the skin of patients with seborrheic dermatitis. <i>Curr Med Mycol</i> , 6(2): 49-51.
5508	Maietta G, Fornaro P, Rongioletti F, et al (1990). Patients with mood depression have a high prevalence of seborrhoeic dermatitis. <i>Acta Derm Venereol</i> , 70(5): 432-4.
15131	Maietta G, Rongioletti F, Rebora A (1991). Seborrheic dermatitis and daylight. <i>Acta Derm Venereol</i> , 71(6): 538-9.
27762	Mallal SA (1998). The Western Australian HIV cohort study, Perth, Australia. <i>J Acquir Immune Defic Syndr Hum Retrovirol</i> , 17(Suppl 1): S23-7.
34597	Maloney EM, Nagai M, Hisada M, et al (2004). Prediagnostic human T lymphotropic virus type I provirus loads were highest in Jamaican children who developed seborrheic dermatitis and severe anemia. <i>J Infect Dis</i> , 189(1): 41-5.
34598	Maloney EM, Wiktor SZ, Palmer P, et al (2003). A cohort study of health effects of human T-cell lymphotropic virus type I infection in Jamaican children. <i>Pediatrics</i> , 112(2): e136-42.
65221	Manriquez JJ, Uribe P (2007). Seborrhoeic dermatitis. <i>BMJ Clin Evid</i> , 2007: 1713.
65235	Marco-Llorente J, Rojo-Martinez E (2010). [Other non-motor disorders in Parkinson's disease]. <i>Rev Neurol</i> , 50(Suppl 2): S75-83 [Article in Spanish]. [Abstract]
15432	Margolis J, Roberts DM (1976). Frequency of skin lesions in chronic drinkers. <i>Arch Dermatol</i> , 112(9): 1326.
15354	Martignoni E, Godi L, Pacchetti C, et al (1997). Is seborrhea a sign of autonomic impairment in Parkinson's disease? <i>J Neural Transm (Vienna)</i> , 104(11-12): 1295-304.
34600	Mastrolonardo M, Diaferio A, Logroscino G (2003). Seborrheic dermatitis, increased sebum excretion, and Parkinson's disease: a survey of (im)possible links. <i>Med Hypotheses</i> , 60(6): 907-11.
34599	Mastrolonardo M, Diaferio A, Vendemiale G, et al (2004). Seborrhoeic dermatitis in the elderly: inferences on the possible role of disability and loss of self-sufficiency. <i>Acta Derm Venereol</i> , 84(4): 285-7.
34888	Matz H, Orion E, Matz E, et al (2002). Skin diseases in war. <i>Clin Dermatol</i> , 20(4): 435-8.
15285	McLelland J, Rees A, Williams G, et al (1988). The incidence of immunosuppression-related skin disease in long-term transplant patients. <i>Transplantation</i> , 46(6): 871-4.
34899	Medline Plus Medical Encyclopedia (2004). Seborrheic dermatitis. Retrieved 11 May 2005, from http://www.nlm.nih.gov/medlineplus/ency/article/000963.htm
TBA	Metin A, Dilek N, Demirseven DD (2015). Fungal infections of the folds (intertriginous areas). <i>Clin Dermatol</i> , 33(4): 437-47.
TBA	Mijaljica G, Britvic D (2015). Seborrheic dermatitis in psychiatric inpatients treated with antipsychotics: An observational study. <i>Soc Psihijat</i> , 43(1): 44-6.
27836	Mirowski GW, Hilton JF, Greenspan D, et al (1998). Association of cutaneous and oral diseases in HIV-infected men. <i>Oral Dis</i> , 4(1): 16-21.
66477	Mirza SH, Rehman H, Khan MA (2005). Role of Malassezia yeast (<i>Pityrosporum</i>) in seborrhoeic dermatitis (SD). <i>J Coll Physicians Surg Pak</i> , 15(12): 771-3.

64592	Misery L, Touboul S, Vincot C, et al (2007). [Stress and seborrheic dermatitis]. <i>Ann Dermatol Venereol</i> , 134(11): 833-7 [Article in French]. [Abstract]
27814	Moehrle M, Dennenmoser B, Schlagenhauff B, et al (2000). High prevalence of seborrhoeic dermatitis on the face and scalp in mountain guides. <i>Dermatology</i> , 201(2): 146-7.
34617	Molinero LL, Gruber M, Leoni J, et al (2003). Up-regulated expression of MICa and proinflammatory cytokines in skin biopsies from patients with seborrhoeic dermatitis. <i>Clin Immunol</i> , 106(1): 50-4.
TBA	Moreno-Coutino G, Sanchez-Cardenas CD, Bello-Hernandez Y, et al (2019). Isolation of Malassezia spp. in HIV-positive patients with and without seborrheic dermatitis. <i>An Bras Dermatol</i> , 94(5): 527-31.
34601	Mosam A, Irusen EM, Kagoro H, et al (2004). The impact of human immunodeficiency virus/acquired immunodeficiency syndrome (HIV/AIDS) on skin disease in KwaZulu-Natal, South Africa. <i>Int J Dermatol</i> , 43(10): 782-3.
TBA	Motswaledi MH, Visser W (2014). The spectrum of HIV-associated infective and inflammatory dermatoses in pigmented skin. <i>Dermatol Clin</i> , 32(2): 211-25.
34609	Moy JA, Sanchez MR (1992). The cutaneous manifestations of violence and poverty. <i>Arch Dermatol</i> , 128(6): 829-39.
27813	Muhammad B, Eligius L, Mugusi F, et al (2003). The prevalence and pattern of skin diseases in relation to CD4 counts among HIV-infected police officers in Dar es Salaam. <i>Trop Doct</i> , 33(1): 44-8.
TBA	Nazik H, Bengu AS, Gul FC (2018). Evaluation of the levels of trace elements in the blood and hair of patients with seborrheic dermatitis. <i>Trace Elem Electrolyt</i> , 36.
34981	Neel S (1973). Medical research. Medical support of the U.S. Army in Vietnam 1965-1970. 10: 128-35. Retrieved 18 May 2005, from U.S. Govt Rinting Office, Washington, DC.
34596	Oble DA, Collett E, Hsieh M, et al (2005). A novel T cell receptor transgenic animal model of seborrheic dermatitis-like skin disease. <i>J Invest Dermatol</i> , 124(1): 151-9.
15356	O'Connell BM, Abel EA, Nickoloff BJ, et al (1986). Dermatologic complications following heart transplantation. <i>J Heart Transplant</i> , 5(6): 430-6.
14955	Odom RB (1994). Common superficial fungal infections in immunosuppressed patients. <i>J Am Acad Dermatol</i> , 31(3 Pt 2): S56-9.
65024	Oh BH, Lee YW, Choe YB, et al (2010). Epidemiologic study of Malassezia yeasts in seborrheic dermatitis patients by the analysis of 26S rDNA PCR-RFLP. <i>Ann Dermatol</i> , 22(2): 149-55.
27817	Onder M, Aksakal AB, Oztas MO, et al (1999). Skin problems of musicians. <i>Int J Dermatol</i> , 38(3): 192-5.
27761	Onder M, Cosar B, Oztas MO, et al (2000). Stress and skin diseases in musicians: evaluation of the beck depression scale, general psychologic profile (the brief symptom inventory [BSI]), beck anxiety scale and stressful life events in musicians. <i>Biomed Pharmacother</i> , 54(5): 258-62.
34890	O'Neill PE (1994). Common skin diseases. <i>Textbook of Military Medicine</i> , Chapter 20: 549-95. Office of the Surgeon General, United States Army.
082544	Orion E, Wolf R (2014). Psychologic factors in the development of facial dermatoses. <i>Clin Dermatol</i> , 32(6): 763-6.
TBA	Ozer I, Temiz SA, Ozer S, et al (2020). The evaluation of 2D/4D finger ratios in seborrheic dermatitis cases. <i>Erciyes Med J</i> , Epub ahead of print.
34892	Oztas P, Calikoglu E, Cetin I (2005). Psychiatric tests in seborrhoeic dermatitis. <i>Acta Derm Venereol</i> , 85(1): 68-9.

34602	Palmer RA, Hawk JL (2004). Light-induced seborrhoeic eczema: severe photoprovocation from subclinical disease. <i>Photodermat Photoimmunol Photomed</i> , 20(1): 62-3.
TBA	Paolino G, Didona D, Clerico R, et al (2016). Skin lesions in patients treated with imatinib mesylate: a 5-year prospective study. <i>Cutis</i> , 97(6): E12-6.
15272	Parish LC (1970). L-Dopa for seborrhoeic dermatitis. <i>N Engl J Med</i> , 283(16): 879.
15257	Parish LC, Fine E (1985). Alcoholism and skin disease. <i>Int J Dermatol</i> , 24(5): 300-1.
TBA	Park T, Kim HJ, Myeong NR, et al (2017). Collapse of human scalp microbiome network in dandruff and seborrhoeic dermatitis. <i>Exp Dermatol</i> , 26(9): 835-8.
TBA	Park SY, Kwon HH, Min S, et al (2016). Clinical manifestation and associated factors of seborrhoeic dermatitis in Korea. <i>Eur J Dermatol</i> , 26(2): 173-6.
TBA	Parna E, Aluoja A, Kingo K (2015). Quality of life and emotional state in chronic skin disease. <i>Acta Derm Venereol</i> , 95(3): 312-6.
27788	Parry ME, Sharpe GR (1998). Seborrhoeic dermatitis is not caused by an altered immune response to Malassezia yeast. <i>Br J Dermatol</i> , 139(2): 254-63.
15266	Patt YZ, Jones DV Jr, Hoque A, et al (1996). Phase 11 trial of intravenous fluorouracil and subcutaneous interferon alfa-2b for biliary tract cancer. <i>J Clin Oncol</i> , 14(8): 2311-5.
TBA	Paulino LC (2017). New perspectives on dandruff and seborrhoeic dermatitis: lessons we learned from bacterial and fungal skin microbiota. <i>Eur J Dermatol</i> , 27(S1): 4-7.
27820	Pechere M, Saurat JH (1997). [Comment] Malassezia yeast density in HIV-positive individuals. <i>Br J Dermatol</i> , 136(1): 138-9.
TBA	Pedrosa AF, Lisboa C, Goncalves Rodrigues A (2014). Malassezia infections: a medical conundrum. <i>J Am Acad Dermatol</i> , 71(1): 170-6.
34595	Pehr K, Kornfeld BW (1992). Dermatology in a war zone: a Persian Gulf experience. <i>Int J Dermatol</i> , 31(7): 494-7.
TBA	Perugi G, Quaranta G, Belletti S, et al (2015). General medical conditions in 347 bipolar disorder patients: clinical correlates of metabolic and autoimmune-allergic diseases. <i>J Affect Disord</i> , 170: 95-103.
27760	Picardi A, Abeni D (2001). Stressful life events and skin diseases: disentangling evidence from myth. <i>Psychother Psychosom</i> , 70(3): 118-36.
27815	Pierard-Franchimont C, Hermanns JF, Degreef H, et al (2000). From axioms to new insights into dandruff. <i>Dermatology</i> , 200(2): 93-8.
34607	Pirkhammer D, Seeber A, Honigsmann H, et al (2000). Narrow-band ultraviolet B (ATL-01) phototherapy is an effective and safe treatment option for patients with severe seborrhoeic dermatitis. <i>Br J Dermatol</i> , 143(5): 964-8.
34874	Plewig G, Jansen T (1999). Seborrhoeic dermatitis. <i>Fitzpatrick's Dermatology in General Medicine</i> , 5th Edition, 126: 1482-9. McGraw-Hill, New York.
15374	Plewig G, Kligman AM (1973). Induction of acne by topical steroids. <i>Arch Dermatol Forsch</i> , 247(1): 29-52.
27818	Plunkett A, Merlin K, Gill D, et al (1999). The frequency of common nonmalignant skin conditions in adults in central Victoria, Australia. <i>Int J Dermatol</i> , 38(12): 901-8.
15259	Pochi PE, Strauss JS, Mescon H (1962). Sebum production and fractional 17-ketosteroid excretion in Parkinsonism. <i>J Invest Dermatol</i> , 38: 45-51.

65215	Pongpudpunth M, Demierre MF, Goldberg LJ (2009). A case report of inflammatory nonscarring alopecia associated with the epidermal growth factor receptor inhibitor erlotinib. <i>J Cutan Pathol</i> , 36(12): 1303-7.
15193	Potter J, Wyburn-Mason R (1970). Effect of L-dopa on seborrhoea of Parkinsonism. <i>Lancet</i> , 2(7674): 660.
65224	Prohic A (2010). Distribution of Malassezia species in seborrhoeic dermatitis: correlation with patients' cellular immune status. <i>Mycoses</i> , 53(4): 344-9.
TBA	Prohic A, Jovovic Sadikovic T, Kuskunovic-Vlahovljak S, et al (2016). Distribution of Malassezia species in patients with different dermatological disorders and healthy individuals. <i>Acta Dermatovenerol Croat</i> , 24(4): 274-81.
65213	Prohic A, Kasumagic-Halilovic E (2010). Identification of Malassezia species from immunocompetent and immunocompromised patients with seborrheic dermatitis. <i>Eur Rev Med Pharmacol Sci</i> , 14(13): 1019-23.
34690	Rafi A, Ghacha R, Sinha AK, et al (2001). Spectrum of skin disease in renal transplant recipients. <i>Dial Transplant</i> , 30(5): 282-7.
TBA	Ramirez Soto M (2013). Seborrheic dermatitis by <i>Demodex folliculorum</i> . <i>Our Dermatol Online</i> , 4(1): 98-100.
64595	Rao GS (2004). Cutaneous changes in chronic alcoholics. <i>Indian J Dermatol Venereol Leprol</i> , 70(2): 79-81.
64597	Rashid J, Wang R, Ramer SL (2007). Atypical antipsychotics and seborrheic dermatitis: three case reports. <i>Pharmacopsychiatry</i> , 40(3): 103-6.
65228	Raza N, Ejaz A, Ahmed MK (2007). Knowledge, attitude and practice regarding dandruff among soldiers. <i>J Coll Physicians Surg Pak</i> , 17(3): 128-31.
5510	Rebora A, Rongioletti F (1993). The red face: seborrheic dermatitis. <i>Clin Dermatol</i> , 11(2): 243-51.
64943	Reich A, Wojcik-Maciejewicz A, Slominski AT (2010). Stress and the skin. <i>G Ital Dermatol Venereol</i> , 145(2): 213-9.
TBA	Riahi RR, Cohen PR (2017). Dasatinib-induced seborrheic dermatitis-like eruption. <i>J Clin Aesthet Dermatol</i> , 10(7): 23-7.
34818	Rigopoulos D, Ioannides D, Kalogeromitros D, et al (2004). Pimecrolimus cream 1% vs. betamethasone 17-valerate 0.1% cream in the treatment of seborrhoeic dermatitis. A randomized open-label clinical trial. <i>Br J Dermatol</i> , 151(5): 1071-5.
64594	Rigopoulos D, Paparizos V, Katsambas A (2004). Cutaneous markers of HIV infection. <i>Clin Dermatol</i> , 22(6): 487-98.
5511	Ross S, Richardson MD, Graybill JR (1994). Association between <i>Malassezia furfur</i> colonization and seborrhoeic dermatitis in AIDS patients. <i>Mycoses</i> , 37(9-10): 367-70.
15060	Rosset M, Oki G (1971). Skin diseases in alcoholics. <i>Q J Stud Alcohol</i> , 32(4): 1017-24.
34887	Rubin-Asher D, Zeilig G, Klieger M, et al (2005). Dermatological findings following acute traumatic spinal cord injury. <i>Spinal Cord</i> , 43(3): 175-8.
TBA	Salamanca-Cordoba MA, Zambrano-Perez CA, Mejia-Arbelaez C, et al (2020). Seborrheic dermatitis and its relationship with <i>Malassezia</i> spp. <i>Infectio</i> , Epub ahead of print.
15086	Sanborn DE 3rd, Sanborn CJ, Cimbolic P, et al (1972). Suicide and stress-related dermatoses. <i>Dis Nerv Syst</i> , 33(6): 391-4.
TBA	Sanders MG, Pardo LM, Franco OH, et al (2018). Prevalence and determinants of seborrhoeic dermatitis in a middle-aged and elderly population: the Rotterdam Study. <i>Br J Dermatol</i> , 178(1): 148-53.
TBA	Sanders MG, Pardo LM, Ginger RS, et al (2019). Association between diet and seborrheic dermatitis: A cross-sectional study. <i>J Invest Dermatol</i> , 139(1): 108-14.

34875	Sandstrom Falk MH, Tengvall Linder M, Johansson C, et al (2005). The prevalence of Malassezia yeasts in patients with atopic dermatitis, seborrhoeic dermatitis and healthy controls. <i>Acta Derm Venereol</i> , 85(1): 17-23.
15225	Sandyk R (1990). Seborrhea and persistent tardive dyskinesia. <i>Int J Neurosci</i> , 50(3-4): 223-6.
15224	Sandyk R, Kay SR (1991). [Comment] Role of androgens in tardive dyskinesia. <i>Int J Neurosci</i> , 56(1-4): 215-8.
15223	Sandyk R, Kay SR (1990). The relationship of negative schizophrenia to Parkinsonism. <i>Int J Neurosci</i> , 55(1): 1-59.
TBA	Sasseville D (2020). Seborrhoeic dermatitis in adolescents and adults. Retrieved 24 November 2020, from https://www.uptodate.com/contents/seborrheic-dermatitis-in-adolescents-and-adults
34817	Sauder DN (2004). Mechanism of action and emerging role of immune response modifier therapy in dermatologic conditions. <i>J Cutan Med Surg</i> , 8(Suppl 3): 3-12.
TBA	Saunte DM, Gaitanis G, Hay RJ (2020). Malassezia-associated skin diseases, the use of diagnostics and treatment. <i>Front Cell Infect Microbiol</i> , 10: 112.
34594	Schaub NA, Drewe J, Sponagel L, et al (1999). Is there a relation between risk groups or initial CD4 T cell counts and prevalence of seborrhoeic dermatitis in HIV-infected patients? <i>Dermatology</i> , 198(2): 126-9.
15126	Schechtman RC, Midgley G, Hay RJ (1995). HIV disease and Malassezia yeasts: a quantitative study of patients presenting with seborrhoeic dermatitis. <i>Br J Dermatol</i> , 133(5): 694-8.
TBA	Schierhout G, McGregor S, Gessain A, et al (2020). Association between HTLV-1 infection and adverse health outcomes: a systematic review and meta-analysis of epidemiological studies. <i>Lancet Infect Dis</i> , 20(1): 133-43.
15355	Schulterbrandt JG, Raskin A, Reatig N (1974). True and apparent side effects in a controlled trial of chlorpromazine and imipramine in depression. <i>Psychopharmacologia</i> , 38(4): 303-17.
65023	Schwartz JR, Messenger AG, Tosti A, et al (2013). A comprehensive pathophysiology of dandruff and seborrhoeic dermatitis - towards a more precise definition of scalp health. <i>Acta Derm Venereol</i> , 93(2): 131-7.
65223	Schwartz JR, Shah R, Krigbaum H, et al (2011). New insights on dandruff/seborrhoeic dermatitis: the role of the scalp follicular infundibulum in effective treatment strategies. <i>Br J Dermatol</i> , 165(Suppl 2): 18-23.
65212	Schwartz RA, Janusz CA, Janniger CK (2006). Seborrhoeic dermatitis: an overview. <i>Am Fam Physician</i> , 74(1): 125-30.
34973	Selden S (2004). Seborrhoeic dermatitis. Retrieved 18 May 2005, from http://www.emedicine.com/DERM/topic396.htm
15298	Selden ST (1996). Immune response to <i>Pityrosporum orbiculare</i> and seborrhoeic dermatitis. <i>Am Fam Physician</i> , 53(7): 2278, 2282.
34893	Selvaag E (2000). Skin disease in military personnel. <i>Mil Med</i> , 165(3): 193-4.
TBA	Sharma YK, Shukla P, Nayak R, et al (2017). Association of dermatoses with duration and quantum of alcohol intake: A comparative cross-sectional study. <i>Indian J Dermatol</i> , 62(2): 184-90.
15289	Shaw NJ, Eden OB (1989). Skin rash after completion of therapy for leukemia in childhood. <i>Pediatr Hematol Oncol</i> , 6(1): 31-5.
15288	Shelley WB, Shelley D (1988). Scrotal dermatitis caused by 5-fluorouracil (Efudex). <i>J Am Acad Dermatol</i> , 19(5 Pt 2): 929-31.

15168	Shellow WV (1983). The skin in alcoholism. <i>Int J Dermatol</i> , 22(9): 506-10.
5512	Sherertz EF (1986). The skin in essential fatty acid deficiency. DA Roe (Ed). <i>Nutrition and the Skin</i> , Chapter 7: 117-30. Alan R Liss. Inc. New York.
TBA	Shin YJ, Lee JW (2018). A clinical analysis of 140 cases of seborrheic dermatitis patients. <i>J Korean Med Ophthalmol Otolaryngol Dermatol</i> , 31(1): 81-90. [Abstract].
095908	Shiu J, Gaitens J, Squibb KS, et al (2015). Significance of dermatologic findings in a cohort of depleted uranium-exposed veterans of Iraqi conflicts. <i>Dermatitis</i> , 26(3): 142-7.
14958	Siegfried EC (1993). Skin manifestations of immune disorders in children. <i>Curr Opin Pediatr</i> , 5(4): 446-51.
64857	Singh H, Singh P, Tiwari P, et al (2009). Dermatological manifestations in HIV-infected patients at a tertiary care hospital in a tribal (Bastar) region of Chhattisgarh, India. <i>Indian J Dermatol</i> , 54(4): 338-41.
15263	Srebrnik A, Hes JP, Brenner S (1991). Adverse cutaneous reactions to psychotropic drugs. <i>Acta Derm Venereol Suppl (Stockh)</i> , 158: 1-12.
34689	Stratigos AJ, Stern R, Gonzalez E, et al (1999). Prevalence of skin disease in a cohort of shelter-based homeless men. <i>J Am Acad Dermatol</i> , 41(2 Pt 1): 197-202.
64861	Strumia R (2009). Skin signs in anorexia nervosa. <i>Dermatoendocrinol</i> , 1(5): 268-70.
TBA	Strumia R (2013). Eating disorders and the skin. <i>Clin Dermatol</i> , 31(1): 80-5.
15194	Sudan BJ (1985). Seborrhoeic dermatitis induced by nicotine of horsetails (<i>Equisetum arvense L.</i>). <i>Contact Dermatitis</i> , 13(3): 201-2.
15129	Sudan BJ, Brouillard C, Sterboul J, et al (1984). Nicotine as a hapten in seborrhoeic dermatitis. <i>Contact Dermatitis</i> , 11(3): 196-7.
TBA	Sudy E, Urbina F (2018). Unilateral acne after facial palsy. <i>An Bras Dermatol</i> , 93(3): 441-2.
34604	Sugita T, Tajima M, Takashima M, et al (2004). A new yeast, <i>Malassezia yamatoensis</i> , isolated from a patient with seborrheic dermatitis, and its distribution in patients and healthy subjects. <i>Microbiol Immunol</i> , 48(8): 579-83.
27759	Supanaranond W, Desakorn V, Sitakalin C, et al (2001). Cutaneous manifestations in HIV positive patients. <i>Southeast Asian J Trop Med Public Health</i> , 32(1): 171-6.
34785	Swerlick RA, Lawley TJ (2001). Eczema, psoriasis, cutaneous infections, acne, and other common skin disorders. <i>Harrison's Principles of Internal Medicine</i> , 15th Edition, 309-15. McGraw Hill.
TBA	Szepietowski JC, Matusiak L, Szepietowska M, et al (2020). Face mask-induced itch: A self-questionnaire study of 2,315 responders during the COVID-19 pandemic. <i>Acta Derm Venereol</i> , 100(10): adv00152.
TBA	Tajiki S, Daie Ghazvini R, Hashemi SJ, et al (2017). Evaluation of <i>Malassezia</i> yeast colonization rate in patients with seborrheic dermatitis. <i>Tehran Univ Med J</i> , 75(9): 675-81. [Abstract].
65227	Tajima M, Sugita T, Nishikawa A, et al (2008). Molecular analysis of <i>Malassezia</i> microflora in seborrheic dermatitis patients: comparison with other diseases and healthy subjects. <i>J Invest Dermatol</i> , 128(2): 345-51.
TBA	Tamer F, Yuksel ME, Sarifakioglu E, et al (2018). <i>Staphylococcus aureus</i> is the most common bacterial agent of the skin flora of patients with seborrheic dermatitis. <i>Dermatol Pract Concept</i> , 8(2): 80-4.
65217	Tavakoli-Tabasi S, Bagree A (2012). A longitudinal cohort study of mucocutaneous drug eruptions during interferon and ribavirin treatment of hepatitis C. <i>J Clin Gastroenterol</i> , 46(2): 162-7.

15170	Tegner E (1983). Seborrhoeic dermatitis of the face induced by PUVA treatment. <i>Acta Derm Venereol</i> , 63(4): 335-9.
TBA	Tehrani S, Tizmaghz A, Shabestanipour G (2014). The Demodex mites and their relation with seborrhoeic and atopic dermatitis. <i>Asian Pac J Trop Med</i> , 7S1: S82-4.
14951	Telfer NR, Matthews JM, Wojnarowska F (1989). Skin disease in haemophiliacs with and without antibodies to the human immunodeficiency virus (HIV): further evidence of altered disease behaviour in different risk groups? <i>Br J Dermatol</i> , 120(6): 795-9.
TBA	Titou H, Ebongo C, Hjira N (2018). Dermatologic manifestations among human immunodeficiency virus patients in Morocco and association with immune status. <i>Int J Dermatol</i> , 57(2): 156-61.
5513	Trenerry H (1996). [Comment] Drugs Associated with seborrhoeic dermatitis. <i>Queensland Drug Information Centre</i> , 1-2.
27812	Uthayakumar S, Nandwani R, Drinkwater T, et al (1997). The prevalence of skin disease in HIV infection and its relationship to the degree of immunosuppression. <i>Br J Dermatol</i> , 137(4): 595-8.
TBA	Vekic B, Zivic R, Kalezic M, et al (2016). Anorectal melanoma and seborrhoeic dermatitis – A case report. <i>Srp Arh Celok Lek</i> , 144(5-6): 334-8.
TBA	Veraldi S, Angileri L, Barbareschi M (2020). Seborrhoeic dermatitis and anti-COVID-19 masks. <i>J Cosmet Dermatol</i> , 19(10): 2464-5.
5509	Veterans Affairs (1980). Study of former prisoners of war: 31-34. Office of Planning and Program Evaluation, Veteran's Administration, US Government Printing Office, Washington DC.
34980	Vidmar DA, Harford RR, Beasley WJ (1996). The epidemiology of dermatologic and venereologic disease in a deployed operational setting. <i>Mil Med</i> , 161(7): 382-6.
15270	Vukelja SJ, Bonner MW, McCollough M, et al (1991). Unusual serpentine hyperpigmentation associated with 5-fluorouracil. Case report and review of cutaneous manifestations associated with systemic 5-fluorouracil. <i>J Am Acad Dermatol</i> , 25(5 Pt 2): 905-8.
15189	Vukelja SJ, James WD, Weiss RB (1989). Severe dermatologic toxicity from 5-fluorouracil in the presence of seborrhoeic dermatitis. <i>Int J Dermatol</i> , 28(5): 353-4.
15496	Walder BK, Jeremy D, Charlesworth JA, et al (1976). The skin and immunosuppression. <i>Australas J Dermatol</i> , 17(3): 94-7.
34620	Walker AS (1952). Dermatology. In: Australia in the War of 1939-1945, Volume 1. Clinical Problems of War, 619-45.
15269	Webster G (1991). Seborrhoeic dermatitis. <i>Int J Dermatol</i> , 30(12): 843-4.
TBA	Werbet T, Cohen PR (2018). Topical application of 5-fluorouracil associated with distant seborrhoeic dermatitis-like eruption: Case report and review of seborrhoeic dermatitis cutaneous reactions after systemic or topical treatment with 5-fluorouracil. <i>Dermatol Ther (Heidelb)</i> , 8(3): 495-501.
TBA	White TC, Findley K, Dawson TL Jr, et al (2014). Fungi on the skin: dermatophytes and Malassezia. <i>Cold Spring Harb Perspect Med</i> , 4(8): a019802.
5514	Wilson CL, Walshe M (1988). Incidence of seborrhoeic dermatitis in spinal injury patients. <i>Br J Dermatol</i> , 119(Suppl 33): 48.
14957	Wishner AJ, Teplitz ED, Goodman DS (1987). Pityrosporum, ketoconazole, and seborrhoeic dermatitis. <i>J Am Acad Dermatol</i> , 17(1): 140-1.
34710	Wiwanitkit V (2004). Prevalence of dermatological disorders in Thai HIV-infected patients correlated with different CD4 lymphocyte count statuses: a note on 120 cases. <i>Int J Dermatol</i> , 43(4): 265-8.

15192	Wyburn-Mason R (1970). Effect of L-dopa on seborrhoea of Parkinsonism. <i>Lancet</i> , 2(7664): 154.
65222	Xu J, Saunders CW, Hu P, Grant RA, et al (2007). Dandruff-associated Malassezia genomes reveal convergent and divergent virulence traits shared with plant and human fungal pathogens. <i>Proc Natl Acad Sci U S A</i> , 104(47): 18730-5.
TBA	Xuan M, Lu C, He Z (2020). Clinical characteristics and quality of life in seborrheic dermatitis patients: a cross-sectional study in China. <i>Health Qual Life Outcomes</i> , 18(1): 308.
15125	Yahr MD, Duvoisin RC, Schear MJ, et al (1969). Treatment of Parkinsonism with levodopa. <i>Arch Neurol</i> , 21(4): 343-54.
15260	Yahr MD, Duvoisin RC, Hoehn MM, et al (1968). L-Dopa (L-3, 4-dihydroxyphenylalanine)-its clinical effects in Parkinsonism. <i>Trans Am Neurol Assoc</i> , 93: 56-63.
65214	Yang BH, Bang CY, Byun JW, et al (2011). A case of cicatricial alopecia associated with erlotinib. <i>Ann Dermatol</i> , 23(Suppl 3): S350-3.
15287	Yohn JJ, Lucas J, Camisa C (1985). Malassezia folliculitis in immunocompromised patients. <i>Cutis</i> , 35(6): 536-8.
15495	Yudkin J (1972). Sugar and disease. <i>Nature</i> , 239(5369): 197-9.
TBA	Zander N, Sommer R, Schafer I, et al (2019). Epidemiology and dermatological comorbidity of seborrhoeic dermatitis: population-based study in 161 269 employees. <i>Br J Dermatol</i> , 181(4): 743-8.
62947	Zhao YE, Peng Y, Wang XL, et al (2011). Facial dermatosis associated with Demodex: a case-control study. <i>J Zhejiang Univ Sci B</i> , 12(12): 1008-15.
15291	Zimmerman SW, Esch J (1978). Skin lesions treated with azathioprine and prednisone. Comparison of nontransplant patients and renal transplant recipients. <i>Arch Intern Med</i> , 138(6): 912-4.
66476	Zisova LG (2009). Malassezia species and seborrhoeic dermatitis. <i>Folia Med (Plovdiv)</i> , 51(1): 23-33. [Abstract]
TBA	Zohreh H, Majid S, Mohammad H (2019). The relationship of serum selenium, zinc, and copper levels with seborrhoeic dermatitis: a case-control study. <i>Iran J Dermatol</i> , 22(1): 7-12.
TBA	Zoulba EN, Widaty S, Krisanty IA, et al (2018). Identification of Malassezia species and the severity of seborrhoeic dermatitis on scalp in Dr. Cipto Mangunkusumo Hospital Jakarta. <i>Adv Sci Lett</i> , 24: 6649-52.
TBA	Zuo Y, Hua W, Luo Y, et al (2020). Skin reactions of N95 masks and medial masks among health-care personnel: A self-report questionnaire survey in China. <i>Contact Dermatitis</i> , 83(2): 145-7.